

Code

Name

Lot No.

Source

Size

Tag

Purity

AVISCERA BIOSCIENCE

RBD-S1 Spike Protein (SARS-CoV-2) His Tag Recombinant (HEK293 Expressed) Biotinylated

00706-03-10B Description RBD-S1 Spike Protein (SARS-CoV-SARS-CoV-2 Spike Protein is composed of S1 domain and S2 domain. S1 2) His Tag Rec. contains a receptor-binding domain (RBD) that can specifically bind to angiotensin-converting enzyme 2 (ACE2), the receptor on target cells. Biotinylated RBD-S1 Spike Protein (SARS-CoV-2) His Tag recombinant (HEK293 derived) has a predicted molecular mass of 30 KDa. Due to glycosylation, the recombinant RBD-S1 Spike Protein (SARS-CoV-2) His Tag migrates as an approximately 40 kDa band in SDS-PAGE under reduce condition. This protein was conjugated with Biotin and dialysis 6x His Tag on Cin PBS.

Receptor ACE2 Binding Test

This RBD-S1 Spike Protein (SARS-CoV-2) His Tag recombinant (HEK293 derived) Biotinylated (00706-03-10B) had been tested by the human soluble ACE2 Fc Fusion (HEK293) pre-coated microplates. Its EC₅₀= 50-100ng/mL.

Formulation

Lyophilized 10 µg of the Biotinylated RBD-S1 Spike Protein (SARS-CoV-2) His Tag (HEK293) in 100 μ l of PBS (130mM NaCl, 7mM Na₂HPO₄, 3mM NaH₂PO₄, pH 7.4). Carry is 0.05% BSA.

Reconstitution & Storage

Add 100 μ l Deionized Water to the vial to prepare a working stock solution at 100 µg/mL. Allow to set at least 30 minutes at 4° C, mix well.

Store lyophilized protein at -20° C or -70° C. Lyophilized protein is stable for up to 6 months from date of receipt at - 20° C to -70° C. Upon reconstitution, this protein can be stored at -20° C for a few days or at -70° C in a manual defrost freezer for long term storage (1 month).

THIS PRODUCT IS FOR RESEARCH ONLY. NOT FOR USE IN HUMANS. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES.

AVISCERA BIOSCIENCE, INC 2348 WALSH AVE., SUITE C SANTA CLARA, CA 95051 USA TEL: (408) 982 0300 FAX: (408) 982 0301

Sales@AvisceraBioscience.com

100µl per well of Formulation 0.5 μg/mL of S1-Spike Protein Carry 0.05% BSA 2-8°C Storage Protein ID YP_009724390.1 40 KD in SDS-PAGE MW Gel (due

(HEK293)

10 µg

HEK293

terminal

>95% in SDS gel

glycosylated)